

Rev. 08/2018

## TAKTOL Praktik Basic 5W-40

### Description

**Praktik Basic 5W-40** is a synthetic engine oil produced using specially selected base oils based on **GENERATION Technology®** concept and an advanced additive package. Developed for year-round use in cars and vans direct injection gasoline and diesel engines without DPF filter, cars and vans engines with and without turbocharger, and engines equipped with catalyts.

**Praktik Basic 5W-40** provides easy engine start at low temperatures, fuel economy and low oil consumption, excellent protection against wear at high temperatures, maintains the purity of the piston group. It has a high resistance to aging and serious thermal loads, has a stable viscosity, prevents the formation of sludge and sediments in the crankcase, and has improved antioxidant, anti-wear, washing properties.

### Application

**Praktik Basic 5W-40** is recommended to use in cars and light commercial vehicles high-performance petrol and diesel engines without particulate filters, equipped with turbochargers and without them. Praktik Basic 5W-40 is developed by reference to specific features of the modern engines structure engineered after 1996 and is applicable for their various types according to the manufacturer's recommendations. The recommended oil change interval is no more than 15 000 km or once a year.

### Performance Level

ACEA A3/B4, API SN/CF  
Meets the requirements of  
MB 229.3, Fiat 9.55535-H2/M2/N2  
BMW Longlife-98, Opel GM-LL-B-025  
Porsche A40 ab Modeljahr 1973 (außer Cayenne V6)  
PSA B71 2296, Renault RN0700/RN0710  
VW 502 00/505 00

### Typicals

Characteristics	Date	Unit
Density at 15 °C	0,856	kg/l
Viscosity, 100 °C	> 14,0	mm <sup>2</sup> /s
Viscosity, 40 °C	> 84,9	mm <sup>2</sup> /s
Viscosity, CCS	> 6190	mPa.s
Viscosity Index	> 169	-
TBN	> 9,6	mgKOH/g
Sulphate Ash	1,3	%
Flash Point, COC	236	°C
Pour Point, °C	- 39	°C

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information. Due to continual product research and development, the information contained herein is subject to changes without notification